

Tele: 23793509

**Policy Letter No32/2012**

Directorate General Married  
Accommodation Project (DG MAP)  
Engineer-in-Chief's Branch,  
Integrated HQ of MoD (Army)  
Kashmir House, Rajaji Marg,  
DHQ PO, New Delhi-110011

21379/Spec Ph-III/P&S/32/MAP  
-----  
-----  
-----

03 Aug 2012

(All PMs & DEPMCs)

**SPECIFICATIONS: FRP FRAMES AND FRP PANEL DOORS FOR TOILETS & BATHROOMS**

1. Refer this Headquarters letter No 21378/Vendor PH-III/P&S/03/MAP dt 29 Jun 2012.
2. Given in the succeeding sub paragraphs are the specifications for FRP Frames and FRP Panel Doors for toilets & bathrooms for the future projects of MAP Phase-II & Phase-III:-
  - (a) **FRP Frame** Fibre Glass Reinforced plastic (FRP) Door Frames will be of three legged of cross-section 90mm x 45mm having single rebate of 32mmx15mm to receive shutter of 30mm thickness. The laminate door frame moulded with fire retardant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall filled with suitable wooden block in all the three legs. The frame shall be covered with fiberglass from all sides. M.S. stay shall be provided at the bottom to steady the frame.
  - (b) **FRP Panel door** 30mm thick Glass Fibre Reinforced Plastic (FRP) Paneled door shutter of required colour and approved brand and manufacture, made with fire retardant grade unsaturated polyester resin, moulded to 3mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5mm thick FRP laminated for panels and conforming to IS:14856-2000.

(JS Sodhi)  
Lt Col  
SO 1 (P&S)  
for DG MAP

**Internal**

Team 'A'	-	for necessary action please
Team 'B'	-	-do-
Contract Section Team 'A'	-	-do-
Contract Section Team 'B'	-	-do-
Arch Section	-	-do-