

Tele: 23793509

Policy Letter No 21/2012

Directorate General Married
Accommodation Project (DG MAP)
Engineer-in-Chief's Branch,
Integrated HQ of MoD (Army)
Kashmir House, Rajaji Marg,
DHQ PO, New Delhi-110011

21379/Spec Ph-III/P&S/20/MAP

12 Jul 2012

(All PMs & DEPMCs)

SPECIFICATIONS: HDPE WATER STORAGE TANKS

1. Refer this Headquarters letter No 21378/Vendor PH-III/P&S/03/MAP dt 29 Jun 2012.
2. Given in the succeeding sub paragraphs is the specification for HDPE water storage tanks for the future projects of MAP Phase-II & Phase-III:-
 - (a) Rotation moulded HDPE overhead water tanks of capacity as shown on drawings shall be ISI marked (IS -12701-1996) and be double layered. The cost of water tanks are included in lump sum cost of building in Schedule 'A' Section-I. In case water tanks are not specified in drawings, 1000 litres for Officers, 300 litres for Servant Qtrs and 500 litres for JCOs/ORs for each DU shall be provided in low rise buildings. 200 litres tank in the kitchen loft in all DUs of multistoreyed buildings shall be provided.

(JS Sodhi)
Lt Col
SO 1 (P&S)
for DG MAP

Internal

Team 'A'	-	for necessary action please
Team 'B'	-	-do-
Contract Section Team 'A'	-	-do-
Contract Section Team 'B'	-	-do-
Arch Section	-	-do-